


# StripAdd 1000

(Alkaline Hot Paint Stripper Additive)



## MATERIAL SAFETY DATA SHEET

Health:	3
Flammability:	0
Reactivity:	1
Personal Protection:	D

### SECTION 1

### CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Win Solutions, Inc.  
109 Pine Street  
Lexa, AR 72355

Telephone Number: (800) 489-0470  
Fax Number: (870) 572-9696

#### EMERGENCY TELEPHONE NUMBERS

Win Solutions. (800) 489-0470 Normal Business Hours  
CHEM-TEL (800) 255-3924 After Business Hours

PRODUCT NAME: StripAdd 1000  
CHEMICAL NAME: N/A  
TRADE NAMES / SYNONYMS: N/A  
CHEMICAL FAMILY: Paint Stripper Additive

DATE CREATED: 03/28/99  
DATE LAST REVISED: 05/09/09

### SECTION 2

### COMPOSITION, INFORMATION ON INGREDIENTS

A. Hazardous Ingredients:  
Potassium Hydroxide Liquid  
(CAS# 1310-58-3)

Percentage  
<10

Exposure Limits  
OSHA PEL 2 mg/m<sup>3</sup>  
ACGIH TLV 2 mg/m<sup>3</sup>

B. Other Ingredients:  
Mixture of sequestrates, coupling agents,  
Surfactants and water

Percentage  
Balance

Exposure Limits

#### C. Proprietary Trade Secret:

Each proprietary trade secret material listed above in Section 2 A is either:  
(1) Held a trade secret from Win Solutions, Inc.,  
(2) Below 0.1% if potential carcinogenic,  
(3) OSHA non-hazardous material or less than 1.0% if OSHA hazardous material.

### SECTION 3

### HAZARDS IDENTIFICATION

\*\*\*\*\* EMERGENCY OVERVIEW \*\*\*\*\*

# StripAdd 1000

## (Alkaline Hot Paint Stripper Additive)

**CAUTION:** Avoid contact with eyes, skin and clothing. This product is corrosive, which may cause skin irritations, dryness, and dermatitis. May cause eye irritation and conjunctivitis. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

\*\*\*\*\*

### POTENTIAL HEALTH EFFECTS:

#### EYES:

SHORT TERM EFFECTS: Causes irritation experienced as pain with excess blinking and tear production, and seen as extreme redness and swelling of the eye and chemical burns of the eye. Severe eye damage may cause blindness.

#### INGESTION:

SHORT TERM EFFECTS: Causes burning of the mouth, throat, and stomach with abdominal and chest pain, nausea, vomiting, diarrhea, thirst, weakness, and collapse. Aspiration may occur during swallowing or vomiting resulting in lung damage.

#### INHALATION:

SHORT TERM EFFECTS: Vapors or mist, especially generated from heating the material or as from exposure in poorly ventilated areas or confined spaces are irritating and cause nasal discharge coughing and discomfort in nose and throat. Prolonged or repeated overexposure may result in lung damage.

LONG TERM EFFECTS: Over exposure to vapor or mist may cause may aggravate existing respiratory conditions. Repeated inhalation may cause lung damage.

#### SKIN:

SHORT TERM EFFECTS: Causes severe irritation with pain, severe excess redness and swelling with chemical burns blister formation and possible tissue destruction.

LONG TERM EFFECTS: Repeated skin contact may cause a persistent irritation or dermatitis .

### PRIMARY ROUTE(S) OF ENTRY

Skin, Inhalation and eyes

### CHRONIC INFORMATION:

Prolonged and/or repeated contact with this material may produce skin and eye irritation.

### CARCINOGEN STATUS:

OSHA: No  
NTP: No  
IARC: No  
ACGIH: No

This product does not require a cancer hazard warning in accordance with the OSHA Hazard Communication Standard.

### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Personnel with pre-existing skin or respiratory tract disorders should avoid contact with this product.

---

## SECTION 4

## FIRST AID MEASURES

#### EYES:

Flush eyes immediately with water for a minimum of 15 minutes occasionally lifting lower and upper lids. Get medical attention promptly.

#### INGESTION:

Drink several glasses of water to dilute. Do Not induce vomiting except at the instruction of a physician. Never give anything by mouth to an unconscious person. Consult a physician if symptoms develop.

# StripAdd 1000

## (Alkaline Hot Paint Stripper Additive)

### INHALATION:

Not likely to occur except as a mist. Remove patient to fresh air and consult a physician. If breathing is difficult, give oxygen. If not breathing give artificial respiration.

### SKIN:

Wash skin thoroughly with soap and water. Immediately remove contaminated clothing and launder before reuse. If irritation or rash develops, obtain medical assistance.

### NOTE TO PHYSICIAN:

Not Applicable for this product.

---

## SECTION 5

## FIRE FIGHTING MEASURES

### FLAMMABLE PROPERTIES

FLASH POINT:	NONE
AUTO IGNITION:	No Data
FLAMMABILITY CLASS (OSHA):	N/A
LOWER EXPLOSIVE LIMIT (%):	NONE
UPPER EXPLOSIVE LIMIT (%):	NONE

### FIRE AND EXPLOSION HAZARDS:

NONE

### EXTINGUISHING MEDIA:

Alcohol foam, Carbon Dioxide, Dry Chemical, water spray

### FIRE FIGHTING INSTRUCTIONS:

This product would not be expected to burn unless all the water is boiled away. The remaining organic compounds may be ignitable. Use water spray only to cool containers exposed to flame. Do not enter enclosed or a confined work space without proper protective equipment. Fire fighting personnel should wear respiratory protection (positive pressure if available).

### HAZARDOUS PRODUCTS OF COMBUSTION:

Fumes, smoke and carbon monoxide.

---

## SECTION 6

## ACCIDENTAL RELEASE MEASURES

### OCCUPATIONAL SPILL:

General: Shut off all ignition sources; no flares, smoking or flames in hazard area. Use personal protective equipment.

For small spills; Take up with sand or other absorbent material and place into containers for later disposal.

For large spills; Keep unnecessary people away; isolate hazard area and deny entry. Dike far ahead of spill. Contain spill from entering waterways or sewers. Absorb material with sawdust or other absorbent material and dispose of in an approved landfill. Advise EPA, state agencies if required.

### REPORTABLE QUANTITY (RQ): 1000 lbs Potassium Hydroxide

The Superfund Amendments and Reauthorization Act (SARA) Section 304 requires that a release equal to or greater than the reportable quantity for this substance be immediately reported to the local emergency planning committee and the state emergency response commission (40 CFR 355.40). If the release of this substance is reportable under CERCLA Section 103, the National Response Center must be notified immediately at (800) 424-8802 or (202) 426-2675 in the metropolitan Washington, DC. area (40 CFR 302.6)

# StripAdd 1000

## (Alkaline Hot Paint Stripper Additive)

---

### SECTION 7

### HANDLING AND STORAGE

#### HANDLING AND STORAGE:

Observe all federal, state and local regulations when storing this substance.

#### BONDING AND GROUNDING:

Not Applicable with this product.

#### SENSITIVITY TO (SHOCK) IMPACT:

Not Applicable with this product.

#### HANDLING AND STORAGE PRECAUTIONS:

Store in a cool dry area. Keep containers tightly closed when not in use. Never use a torch to cut or weld on or near container. Empty containers can contain explosive vapors. Store away from incompatible substances. Wash thoroughly after handling.

#### WORK / HYGIENIC PRACTICES:

Wash hands with soap and water before eating, drinking, smoking or use of toilet facilities. Take a shower after work if general contact occurs. Remove soaked clothing and launder before reuse. Launder contaminated shoes and leather gloves.

---

### SECTION 8

### EXPOSURE CONTROLS, PERSONAL PROTECTION

#### ENGINEERING CONTROLS:

Use adequate ventilation to keep mists of this material below applicable standard(s). See Section on occupational exposure limits.

#### EYE / FACE PROTECTION:

Safety glasses, splash goggles or face shield as appropriate. Have suitable eye water wash available.

#### SKIN PROTECTION:

Wear protective impervious gloves and clothing. Acceptable materials for gloves are neoprene; nitrile; viton.

#### VENTILATION:

Not Applicable with this product.

#### RESPIRATORY PROTECTION:

Normally not required if adequate ventilation is in place.

#### OTHER / GENERAL PROTECTION:

If there is a likelihood of splashing, splash resistant clothing should be worn. Never wear soaked clothing. Launder or dry clean before wearing. Discard oil soaked shoes. Affix warning labels on containers in accordance with 29 CFR 1910.1200 (Hazard Communication Standard)

---

### SECTION 9

### PHYSICAL AND CHEMICAL PROPERTIES

#### APPEARANCE & DESCRIPTION:

Dark Brown Liquid

#### ODOR:

Characteristic.

# StripAdd 1000

## (Alkaline Hot Paint Stripper Additive)

### BASIC PHYSICAL PROPERTIES:

PHYSICAL STATE:	Liquid
FLASH POINT:	NONE
AUTO IGNITION:	No Data
SPECIFIC GRAVITY:	1.09 Water = 1.0
WATER SOLUBILITY:	Complete
SOLVENT SOLUBILITY:	N / A
PERCENT VOLATILES:	Not Determined
EVAPORATION RATE:	slightly slower than water
pH:	≤ 14 undiluted
VISCOSITY:	Not Determined

---

### SECTION 10

### STABILITY AND REACTIVITY

#### STABILITY AND REACTIVITY:

Stable under normal conditions, temperatures and pressures.

#### CONDITIONS TO AVOID:

Incompatible Materials

#### INCOMPATIBLE MATERIALS:

Strong oxidizers and strong acids.

#### HAZARDOUS DECOMPOSITION PRODUCTS:

Thermal combustion may produce oxides of carbon and nitrogen if water is evaporated by heat of fire, and other asphyxiants.

#### HAZARDOUS POLYMERIZATION:

Hazardous polymerization has not been reported to occur under normal conditions. temperatures and pressures.

---

### SECTION 11

### TOXICOLOGICAL INFORMATION

#### IRRITATION DATA:

May cause skin irritation

#### TOXICITY DATA:

Acute Toxicity:  
Potassium Hydroxide  
Oral LD50 365mg/kg (rat)

#### EYE EFFECTS

Contact with eyes would be expected to cause irritation consisting of redness, swelling and mucous discharge to the conjunctiva.

# StripAdd 1000

## (Alkaline Hot Paint Stripper Additive)

### SKIN EFFECTS

#### ACUTE EXPOSURE:

Contact with the skin may cause irritation consisting of transient redness.

#### CHRONIC EXPOSURE:

May cause irritation of the skin and dermatitis..

### ORAL (INGESTION) EFFECTS

#### ACUTE EXPOSURE:

Causes burning of the mouth, throat, and stomach with abdominal and chest and, nausea, vomiting, diarrhea, thirst, weakness, and collapse. Aspiration may occur during swallowing or vomiting resulting in lung damage.

### INHALATION EFFECTS

**SHORT TERM EFFECTS:** Vapors or mist, especially generated from heating the material or as from exposure in poorly ventilated areas or confined spaces are irritating and cause nasal discharge coughing and discomfort in nose and throat. Prolonged or repeated overexposure may result in lung damage.

**LONG TERM EFFECTS:** Over exposure to vapor or mist may cause may aggravate existing respiratory conditions. Repeated inhalation may cause lung damage.

### SYSTEMIC (ORGAN) EFFECTS DATA:

Does Not contain component(s) which causes systemic effects in studies.

### TERATOLOGY (BIRTH DEFECTS) DATA:

Does Not contain component(s) which causes birth defects in studies.

### CARCINOGENIC EFFECTS

This product or any of the ingredients in this product is not listed or a potential carcinogen by the National Toxicology Program, by the I.A.R.C. monographs or by OSHA

### ADDITIONAL DATA:

None Known

---

## SECTION 12

## ECOLOGICAL INFORMATION

### ENVIRONMENTAL IMPACT RATING (0-4):

No data available

### ACUTE AQUATIC TOXICITY:

No data available for this product

### LOG BIOCENTRATION FACTOR (BCF):

No data available

### LOG OCTANOL / WATER PARTITION COEFFICIENT:

No data available

---

## SECTION 13

## DISPOSAL CONSIDERATIONS

Observe and follow all federal, state, and local regulations. If "used" RCRA criteria must be determined. Contract to authorized disposal service. If permitted incineration may be practical. Consider recycling.

---

# StripAdd 1000

## (Alkaline Hot Paint Stripper Additive)

### SECTION 14

### TRANSPORTATION INFORMATION

<b><u>U.S. DOT SHIPPING NAME:</u></b>	Compounds, Cleaning, Liquid, (Contains Potassium Hydroxide)
<b><u>U.S. DOT HAZARD CLASS:</u></b>	8
<b><u>U.S. DOT IDENTIFICATION NUMBER:</u></b>	UN1760
<b><u>U.S. DOT PACKING GROUP NUMBER:</u></b>	III
<b><u>U.S. DOT EMERGENCY GUIDE NUMBER:</u></b>	Not applicable
<b><u>U.S. DOT LABELING REQUIREMENTS:</u></b>	Corrosive

### SECTION 15

### REGULATORY INFORMATION

#### U.S. FEDERAL REGULATORY INFORMATION:

<b>SARA 302</b>	<b>(40CFR 355.3) Threshold Planning Quantity:</b>	Not Applicable
<b>SARA 304</b>	<b>(40CFR 355.40) Reportable Quantity:</b>	Not Applicable
<b>SARA 311</b>	<b>(40CFR 370.21) Categories:</b>	
	<b>Immediate (Acute) Health Effects:</b>	Yes
	<b>Delayed (Chronic) Health Effects:</b>	No
	<b>Fire Hazard:</b>	No
	<b>Sudden Release of Pressure Hazard:</b>	No
	<b>Reactivity Hazard:</b>	Yes
<b>SARA 313</b>	<b>(40CFR 372) Supplier Information:</b>	
	Chemicals in this product exceed the De Minimus reporting level established by SARA Title III, Section 313 and 40CFR 372	
<b>EPA Hazard Classification Code:</b>		Not Applicable
<b>EPA / TSCA Inventory:</b>		Yes
	The components of this product are listed on, or are exempt from the EPA / TSCA inventory of chemicals.	
<b>TSCA SECTION 103 (b) EXPORT NOTIFICATION:</b>		Not Applicable
<b>(CERLA) SECTION 103 (40CFR302.4) Comprehensive Environmental Response, Compensation and Liability Act ):</b>		<b>RQ:</b> 1000lbs Potassium Hydroxide

### SECTION 16

### OTHER INFORMATION

#### NEPA HAZARD RATING:

**HEALTH:** 3 Minimal **FIRE:** 0 Minimal **REACTIVITY:** 1 Minimal **SPECIFIC HAZARD:** None

#### HAZARDOUS MATERIALS IDENTIFICATION LABELING (HMIS):

**HEALTH:** 3 Minimal **FIRE:** 0 Minimal **REACTIVITY:** 1 Minimal **PERSONAL PROTECTION:** D

The information contained in this Material Safety Data Sheet has been prepared based upon data believed to be reliable, an evaluation of the ingredients in the product, their concentration in the product and potential interactions. The information is offered in good faith and is believed to be reliable and reflects our best professional judgment. Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for his / her particular purpose(s). It is furnished to our customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required. The information is furnished for compliance with the "Occupational Safety and Health Act" of 1970, the "Hazards Communication Act" of 1983 as well as various other Federal, State and Local regulations. Use or dissemination of all or part of this information for any other purpose is prohibited by law.