


# WinStrip 2352

(Solvent Based, Multi-Metal Paint Stripper)



## MATERIAL SAFETY DATA SHEET

Health:	1
Flammability:	1
Reactivity:	0
Personal Protection:	D

### SECTION 1

### CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Win Solutions, Inc.  
109 Pine Street  
Lexa, AR 72355

Telephone Number: (800) 489-0470  
Fax Number: (870) 572-9696

#### EMERGENCY TELEPHONE NUMBERS

Win Solutions. (800) 489-0470 Normal Business Hours  
CHEM-TEL (800) 255-3924 After Business Hours

#### PRODUCT NAME:

05/11/10

**WinStrip 2352**

DATE CREATED:

#### CHEMICAL NAME:

N/A

DATE LAST REVISED:

#### TRADE NAMES / SYNONYMS:

N/A

#### CHEMICAL FAMILY:

Solvent Paint Stripper

### SECTION 2

### COMPOSITION, INFORMATION ON INGREDIENTS

#### A. Hazardous Ingredients:

Proprietary Trade Secret

#### Percentage

#### Exposure Limits

#### B. Other Ingredients:

#### Percentage

#### Exposure Limits

#### C. Proprietary Trade Secret:

Each proprietary trade secret material listed above in Section 2 A is either:

- (1) Held a trade secret from Win Solutions, Inc.,
- (2) Below 0.1% if potential carcinogenic,
- (3) OSHA non-hazardous material or less than 1.0% if OSHA hazardous material.
- (4) Determined to be unusual and or unique information to the industry.

### SECTION 3

### HAZARDS IDENTIFICATION

\*\*\*\*\* **EMERGENCY OVERVIEW** \*\*\*\*\*

**CAUTION:** Avoid contact with eyes, skin and clothing. This product contains materials, which can cause skin and eye irritations. May be absorbed through the skin. Do not taste or swallow. Do not allow evaporating to near dryness. Keep material from heat, light and flame. Use only with adequate ventilation. Wash thoroughly after handling. Remove contaminated clothing and launder before reuse.

# WinStrip 2352

(Solvent Based, Multi-Metal Paint Stripper)

\*\*\*\*\*

## POTENTIAL HEALTH EFFECTS:

### EYES:

SHORT TERM EFFECTS: Product may cause irritation, swelling, redness of the eyes. May also cause redness of the conjunctiva and chemical burns of the cornea. May notice excess tear production.

### INGESTION:

SHORT TERM EFFECTS: Slightly toxic if ingested. May cause abdominal discomfort, nausea, and vomiting. May cause abdominal discomfort, nausea, dizziness, thirst, faintness, diarrhea, and vomiting. Can cause severe irritation or chemical burns in the mouth, stomach, throat, chest, and abdomen.

### INHALATION:

SHORT TERM EFFECTS: Test on similar materials indicate the possibility of the following symptoms: respiratory tract irritation

### SKIN:

SHORT TERM EFFECTS: May cause irritation to the skin, excessive redness, and blistering.

### ADDITIONAL DATA:

None Known

### PRIMARY ROUTE(S) OF ENTRY

Skin, Inhalation and Eyes

### CHRONIC INFORMATION:

Prolonged and/or repeated contact with this material may produce skin, eye and respiratory tract irritation. See Section 11.

### CARCINOGEN STATUS:

OSHA: No  
NTP: No  
IARC: No  
ACGIH: No

This product does not require a cancer hazard warning in accordance with the OSHA Hazard Communication Standard.

### MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:

Personnel with pre-existing skin or respiratory tract disorders should avoid contact with this product.

---

## SECTION 4

## FIRST AID MEASURES

### EYES:

Flush eyes immediately with water for a minimum of 15 minutes occasionally lifting lower and upper lids. Get medical attention promptly.

### INGESTION:

Drink several glasses of water to dilute. Do Not induce vomiting. Never give anything by mouth to an unconscious person.

### INHALATION:

Remove patient to fresh air and consult a physician. If breathing is difficult, give oxygen. If not breathing give

# WinStrip 2352

## (Solvent Based, Multi-Metal Paint Stripper)

artificial respiration.

### **SKIN:**

Wash skin thoroughly with soap and water. Immediately remove contaminated clothing and launder before reuse. If irritation or rash develops, obtain medical assistance.

### **NOTE TO PHYSICIAN:**

Not Applicable for this product.

---

## **SECTION 5**

## **FIRE FIGHTING MEASURES**

### **FLAMMABLE PROPERTIES**

<b>FLASH POINT:</b>	≥ 200 °F
<b>AUTO IGNITION:</b>	Not Determined
<b>FLAMMABILITY CLASS (OSHA):</b>	Not Determined
<b>LOWER EXPLOSIVE LIMIT (%):</b>	Not Determined
<b>UPPER EXPLOSIVE LIMIT (%):</b>	Not Determined

### **FIRE AND EXPLOSION HAZARDS:**

Forms peroxides of unknown stability

### **EXTINGUISHING MEDIA:**

Any media suitable for the surrounding fire.  
(1996 Emergency Response Guidebook, RSPA P 5800.6)

### **FIRE FIGHTING INSTRUCTIONS:**

Use water spray only to cool containers exposed to flame. Do not enter enclosed or a confined work space without proper protective equipment. Fire fighting personnel should wear respiratory protection (positive pressure if available).

### **HAZARDOUS PRODUCTS OF COMBUSTION:**

Fumes, smoke and carbon monoxide and carbon dioxide.

---

## **SECTION 6**

## **ACCIDENTAL RELEASE MEASURES**

### **OCCUPATIONAL SPILL:**

General: Shut off all ignition sources; no flares, smoking or flames in hazard area. Use personal protective equipment.

For small spills; take up with sand or other absorbent material and place into containers for later disposal.

For large spills; Keep unnecessary people away; isolate hazard area and deny entry. Dike far ahead of spill.

Contain spill from entering waterways or sewers. Absorb material with sawdust or other absorbent material and dispose of in an approved landfill. Advise EPA, state agencies if required.

### **REPORTABLE QUANTITY (RQ):** This product has no RQ value

The Superfund Amendments and Reauthorization Act (SARA) Section 304 requires that a release equal to or greater than the reportable quantity for this substance be immediately reported to the local emergency planning committee and the state emergency response commission (40 CFR 355.40). If the release of this substance is reportable under CERCLA Section 103, the National Response Center must be notified immediately at (800) 424-8802 or (202) 426-2675 in the metropolitan Washington, DC. area (40 CFR 302.6)

---

## **SECTION 7**

## **HANDLING AND STORAGE**

### **HANDLING AND STORAGE:**

Observe all federal, state and local regulations when storing this substance.

# WinStrip 2352

(Solvent Based, Multi-Metal Paint Stripper)

**BONDING AND GROUNDING:**

Not Applicable with this product.

**SENSITIVITY TO (SHOCK) IMPACT:**

Not Applicable with this product.

**HANDLING AND STORAGE PRECAUTIONS:**

Store in a cool dry area. Keep containers tightly closed when not in use. Never use a torch to cut or weld on or near container. Empty containers can contain explosive vapors. Store away from incompatible substances. Wash thoroughly after handling.

**WORK / HYGIENIC PRACTICES:**

Wash hands with soap and water before eating, drinking, smoking or use of toilet facilities. Take a shower after work if general contact occurs. Remove soaked clothing and launder before reuse. Launder contaminated shoes and leather gloves.

---

**SECTION 8**

**EXPOSURE CONTROLS, PERSONAL PROTECTION**

**ENGINEERING CONTROLS:**

Use adequate ventilation to keep mists of this material below applicable standard(s). See Section on occupational exposure limits.

**EYE / FACE PROTECTION:**

Safety glasses, splash goggles or face shield as appropriate. Have suitable eye water wash available.

**SKIN PROTECTION:**

Avoid prolonged and / or repeated skin contact. If prolonged contact cannot be avoided, wear protective impervious gloves and clothing. Acceptable materials for gloves are neoprene; nitrile; viton.

**VENTILATION:**

Supply adequate ventilation to keep levels below standards.

**RESPIRATORY PROTECTION:**

Normally not required if adequate ventilation is in place.

**OTHER / GENERAL PROTECTION:**

If there is a likelihood of splashing, splash resistant clothing should be worn. Never wear soaked clothing. Launder or dry-clean before wearing. Discard oil soaked shoes. Affix warning labels on containers in accordance with 29 CFR 1910.1200 (Hazard Communication Standard)

---

**SECTION 9**

**PHYSICAL AND CHEMICAL PROPERTIES**

**APPEARANCE & DESCRIPTION:**

Clear Amber liquid.

**ODOR:**

Light Amine Odor.

**BASIC PHYSICAL PROPERTIES:**

<b>PHYSICAL STATE:</b>	Liquid
<b>FLASH POINT:</b>	≥ 200 °F
<b>AUTO IGNITION:</b>	Not Determined
<b>SPECIFIC GRAVITY:</b>	1.03 Water = 1.0

# WinStrip 2352

(Solvent Based, Multi-Metal Paint Stripper)

**PERCENT VOLATILES:** Not Determined  
**EVAPORATION RATE:** < 0.1 (n-butyl acetate = 1)  
**pH:** undetermined

---

## **SECTION 10**

## **STABILITY AND REACTIVITY**

### **STABILITY AND REACTIVITY:**

Stable under normal conditions, temperatures and pressures.

### **CONDITIONS TO AVOID:**

Incompatible Materials

### **INCOMPATIBLE MATERIALS:**

Strong oxidizers, strong alkalis, reducing agents, ketones, formates, aldehydes, oxalates, and strong acids.

### **HAZARDOUS DECOMPOSITION PRODUCTS:**

Thermal combustion may produce oxides of carbon and nitrogen if water is evaporated by heat of fire, and other asphyxiants.

### **HAZARDOUS POLYMERIZATION:**

Hazardous polymerization has not been reported to occur under normal conditions. Temperatures and pressures.

---

## **SECTION 11**

## **TOXICOLOGICAL INFORMATION**

### **IRRITATION DATA:**

### **TOXICITY DATA:**

#### **EYE EFFECTS**

**CHRONIC EXPOSURE:**  
Irritation on contact.

#### **SKIN EFFECTS**

**CHRONIC EXPOSURE:**  
May cause irritation, redness, dryness or dermatitis with prolonged and repeated contact.

#### **ORAL (INGESTION) EFFECTS**

**CHRONIC EXPOSURE:**  
Same as Acute. Also may cause kidney and liver damage.

#### **INHALATION EFFECTS**

**CHRONIC EXPOSURE:**  
Not a likely route of exposure except as a diluted mist

#### **SYSTEMIC (ORGAN) EFFECTS DATA:**

#### **TERATOLOGY (BIRTH DEFECTS) DATA:**

#### **CARCINOGENIC EFFECTS**

This product or any of the ingredients in this product is not listed as a potential carcinogen by the National Toxicology Program, by the I.A.R.C. monographs or by OSHA

# WinStrip 2352

(Solvent Based, Multi-Metal Paint Stripper)

---

## SECTION 12

ACUTE AQUATIC TOXICITY:

OXYGEN DEMAND DATA:

## ECOLOGICAL INFORMATION

---

## SECTION 13

## DISPOSAL CONSIDERATIONS

Observe and follow all federal, state, and local regulations. If "used" RCRA criteria must be determined. Dispose of material by incineration or by sending to licensed reclaimer.. Contract to authorized disposal service. If permitted incineration may be practical. Consider recycling.

---

## SECTION 14

## TRANSPORTATION INFORMATION

U.S DOT SHIPPING NAME:

Not DOT Regulated

U.S. DOT HAZARD CLASS:

None

U.S. DOT IDENTIFICATION NUMBER:

U.S. DOT PACKING GROUP NUMBER:

U.S. DOT EMERGENCY GUIDE NUMBER:

U.S. DOT LABELING REQUIREMENTS:

This product is not regulated by DOT

49 CFR 172.101

---

## SECTION 15

## REGULATORY INFORMATION

### U.S. FEDERAL REGULATORY INFORMATION:

SARA 302 (40CFR 355.3) Threshold Planning Quantity: Not Applicable

SARA 304 (40CFR 355.40) Reportable Quantity: Not Applicable

SARA 311 (40CFR 370.21) Categories:

Immediate (Acute) Health Effects: Yes

Delayed (Chronic) Health Effects: Yes

Fire Hazard: No

Sudden Release of Pressure Hazard: No

Reactivity Hazard: No

SARA 313 (40CFR 372) Supplier Information:

No chemicals in this product exceed the De Minimus reporting level established by SARA Title III, Section 313 and 40C

EPA Hazard Classification Code: Not Applicable

EPA / TSCA Inventory:

All components of this product that are required to be on the EPA/TSCA inventory are listed on the inventory.

TSCA SECTION 103 (b) EXPORT NOTIFICATION: Not Applicable

(CERLA) SECTION 103 (40CFR302.4) Comprehensive

Environmental Response, Compensation and Liability Act): RQ: This product has no RQ value

---

## SECTION 16

## OTHER INFORMATION

NFPA HAZARD RATING:

HEALTH: 1 Moderate FIRE: 1 Minimal REACTIVITY: 0 Minimal SPECIFIC HAZARD: None

HAZARDOUS MATERIALS IDENTIFICATION LABELING (HMIS):

# WinStrip 2352

(Solvent Based, Multi-Metal Paint Stripper)

**HEALTH:** 1 Moderate    **FIRE:** 1 Minimal    **REACTIVITY:** 0 Minimal    **PERSONAL PROTECTION:** D

The information contained in this Material Safety Data Sheet has been prepared based upon data believed to be reliable, an evaluation of the ingredients in the product, their concentration in the product and potential interactions. The information is offered in good faith and is believed to be reliable and reflects our best professional judgment. Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequence of its use. Each individual should make a determination as to the suitability of the information for his / her particular purpose(s). It is furnished to our customer who is urged to study it carefully to become aware of hazards, if any, in the storage, handling, use and disposal of the product; and to insure his employees are properly informed and advised of all safety precautions required. The information is furnished for compliance with the "Occupational Safety and Health Act" of 1970, the "Hazards Communication Act" of 1983 as well as various other Federal, State and Local regulations. Law prohibits use or dissemination of all or part of this information for any other purpose.